

SWYFT ALL-IN-ONE-POS



*OPTIONAL

TECHNICAL DATA

SPECIFICATIONS	
Color	White or black
Processor	Intel Coffee Lake Core i5-8500T (9M Cache, up to 3.50 GHz)
Wireless	802.11 b/g/n/ac; Bluetooth: 5.0
Display	15.6" diagonal, Active matrix TFT LCD (LED), 16x9
Native (optimal) Resolution	Full HD 1920 x 1080 @ 60Hz
Power	Input connector (power): 100-240 VAC Input signal specifications (power): 50-60 Hz Power Consumption (Typical): 51.86 W
Dimensions	16.18" x 12.71" x 16.53" / 411 mm x 323 mm x 420 mm
Warranty	Three (3) Years
Speakers	1x 1W internal speakers
Mounting Options	Ability to secure base to tabletop
Temperature	Operating: 32°F to 95°F (0°C to 35°C); Storage -4°F to 140°F (-20°C to 60°C)
Humidity (non-condensing)	Operating: 20% to 80%; Storage: 5% to 95%
I/O Ports	4 x Type A USB 2.0, 2 x RJ45 serial ports, 1 x micro HDMI port, 1 x 12V powered USB port, 1 x RJ12 cash drawer port, 1 x LAN
Operating System	Windows 10 IoT LTSC or No OS
Printer	Star TSP100III USB (thermal printer), 3" (80mm) receipt printer with auto-cutter, maximum paper roll diameter 80mm, speed 250mm/sec

Continued on the next page

SWYFT ALL-IN-ONE-POS

SPECIFICATIONS	
Barcode Scanner	<p>Honeywell N3680 1D/2D barcode scanner, CMOS sensor with 640 x 480 pixel resolution</p> <p>Supported symbologies:</p> <ul style="list-style-type: none"> - Linear: Codabar, Code 11, Code 128, Code 2 of 5, Code 39, Code 93 and 93i, EAN/JAN-13, EAN/JAN 8, IATA Code 2 of 5, Interleaved 2 of 5, Matrix 2 of 5, MSI, GS1 Databar, UPC-A, UPC E, UPC-A/EAN-13 with Extended Coupon Code, Coupon GS1 Code 32(PARAF), EAN-UCC Emulation, GS1 Data bar - 2D Stacked: Codablock A, Codablock F, PDF417, MicroPDF417 - 2D Matrix: Aztec Code, Data Matrix, MaxiCode, QR Code, Chinese Sensible (Han Xin) code - Postal Codes: Australian Post, British Post, Canadian Post, China Post, Japanese Post, Korea Post, Netherlands Post, Planet Code, Postnet
Cash Drawer	<p>Outer dimensions: 16.18" x 16.54" x 3.50" / 411mm x 420mm x 89mm</p> <p>Removable till insert, media slot for checks, 3 position lock</p> <p>NA/China Models: 5 bill, 6 coin / Worldwide Models: 4 bill, 8 coin</p>
EMV Terminal Dimensions	3.26" x 7.08" x 1.69"
EMV Terminal Connections	USB, Serial, Powered USB, Powered RS 232, Powered Ethernet, External Power Supply
EMV Terminal Connectivity	Wired and Wireless
EMV Terminal Security	PCI PTS, Anti-removal, Anti-theft
Fingerprint Reader Dimensions	1.3" x 2.4" x 0.4"
Fingerprint Reader Connection	USB 2.0